

Deer #	Date Taken	Stalk Area	Stand #	Sex	wght	pts	In Spread	Out Spread	AGE
1	18-Aug-19	BA1		M	109	8	11	12	1.5
2	22-Aug-19		1B	M	102	6	9	10	1.5
3	22-Aug-19	BA1		M	109	8	14	15 1/2	2.5
4	1-Sep-19	11D		M	90	8	10 1/2	12	2.5
5	2-Sep-19	9D		M	117	9	10	11 1/2	2.5
6	2-Sep-19	BA1		M	113	6	9	10	2.5
7	16-Sep-19	10B		F	89				1.5
8	16-Sep-19	BA12		F	85				3.5
9	16-Sep-19		27E	M	128	8	12	13	3.5
10	19-Sep-19		17C	M	181	8	14 1/2	15	3.5
11	20-Sep-19		3A	F	52				5.5
12	21-Sep-19	BA6		M	118	7	12	13 1/2	1.5
13	22-Sep-19	3D		M	101	6	7	7 1/2	1.5
14	22-Sep-19	BA7		F	90				
15	22-Sep-19		16B	F	87.5				1.5
16	23-Sep-19	BA7		F	64				1.5
17	23-Sep-19	BA13		F	73.5				3.5
18	28-Sep-19	3E		F	73.5				1.5
19	29-Sep-19		19A	F	60				1.5
20	4-Oct-19	31C		F	92				1.5
21	5-Oct-19	3E		F	70.5				1.5
22	5-Oct-19	3E		M	88	3	4 1/2		1.5
23	5-Oct-19	BA2		F	68.5				0.5
24	6-Oct-19	22D		F	87				1.5
25	6-Oct-19		4A	F	80				2.5
26	6-Oct-19		9D	M	152	10	14	15 1/2	1.5
27	7-Oct-19	13B		M	140	8	13 1/2	14 1/2	
28	7-Oct-19	BA2		F	90				1.5
29	9-Oct-19		25B	F	86				1.5
30	10-Oct-19	31E		M	151	9	14 3/4	16	2.5
31	11-Oct-19	18A		M	164.5	11	15 3/4	17	
32	11-Oct-19	12G		F	99				
33	12-Oct-19	19C		M	131	8	12 1/2	13 1/2	2.5
34	12-Oct-19	BA6		F	89.5				2.5
35	12-Oct-19	33A		F	97.5				3.5
36	13-Oct-19		31E	F	94				3.5
37	13-Oct-19	30A		M	139	8	16 1/2	18 1/4	1.5
38	14-Oct-19		31A	M	147	9	16 3/4	18 1/4	3.5
39	14-Oct-19	BA7		F	82				
40			18D	F	103				
41	16-Oct-19	33A		M	135	7	12	13	
42	17-Oct-19		29B	M	176	6	12 1/2	14	
43	17-Oct-19	3E		M	80	6	6		1.5
44	17-Oct-19		2C	F	91				
45	17-Oct-19	2B		F	87.5				

46	18-Oct-19	4A	M	29					
47	18-Oct-19	BA13	M		8	10 1/2	10 3/4		
48	18-Oct-19	3D	M	138.5	8	15 1/2	15		
49	19-Oct-19		15A	M	155	10	15	17	6.5
50	19-Oct-19		15C	F	121				0.5
51	20-Oct-19	4A	M	161	8	17	18 1/2	3.5	
52	20-Oct-19	5B	M	92.5	6	13 1/2	14 1/2	1.5	
53	20-Oct-19	34C	F	84.5				2.5	
54	20-Oct-19	BA7	M	90.5	2	8	8 1/2	1.5	
55	20-Oct-19	BA7	F	82				1.5	
56	20-Oct-19	31F	M	141	8	13	15	3.5	
57	20-Oct-19	31F	F	85				1.5	
58	20-Oct-19	BA4	F	72				1.5	
59	21-Oct-19	16C	M	149	7	14 3/4	16 1/4	5.5	
60	23-Oct-19		22C	F	83			1.5	
61	24-Oct-19		10A	F	81			1.5	
62	24-Oct-19		1B	F	81			1.5	
63	24-Oct-19	24C	M	155.5	10	18	18 1/2		
64	25-Oct-19		16A	M	127.5	8	15	15 1/2	3.5
65	25-Oct-19		18H	F	38			0.5	
66	25-Oct-19		17C	M	38			0.5	
67	27-Oct-19	BA6	M	57				0.5	
68	27-Oct-19		22G	M	121	8	12 3/4	13 1/2	3.5
69	27-Oct-19		31A	M	134	10	11 1/2	8	4.5
70	27-Oct-19		31C	M	50				0.5
71	28-Oct-19	13B	M	135	8	14 1/2	15 1/2	1.5	
72	28-Oct-19		10A	M	70	2	4 3/4	5 3/8	0.5
73	28-Oct-19	26B	F	85.5				2.5	
74	31-Oct-19	10B	M	151	8	15	16 1/2	3.5	
75	1-Nov-19	BA7	M	96	3	4	8	1.5	
76	1-Nov-19	4A	M	148	7	18 1/4	19 1/4	4.5	
77	1-Nov-19	23C	M	111.5	8	10	11	1.5	
78	1-Nov-19	23C	F	105					
79	1-Nov-19	BA4	M	102	2	6	9	1.5	
80	1-Nov-19	1A	M	84	4	6	8 1/2	1.5	
81	2-Nov-19	BA 6	M	81.5	2	6	8	1.5	
82	2-Nov-19	23A	M	153.5	8	13	14 1/4	3.5	
83	2-Nov-19	11B	F	78				2.5	
84	2-Nov-19	10A	M	150	6	12 3/4	13 1/4	1.5	
85	2-Nov-19		33C	M	132.5	8	16 1/2	17 1/2	4.5
86	2-Nov-19	31F	M	80				0.5	
87	2-Nov-19	31F	F	93				4.5	
88	3-Nov-19	9B	M	137	8	15	16	2.5	
89	3-Nov-19		9A	M	123	8	12 3/4	14 1/4	2.5
90	3-Nov-19	4A	F	84.5				1.5	
91	3-Nov-19	11B	M	120	8	15	15 1/2	5.5	
92	3-Nov-19	11D	M	116	7	12	13	2.5	

93	3-Nov-19		33C	M	103	8	11 1/2	12 1/2	2.5
94	3-Nov-19		30C	M	104.5	8	7 3/4	8 1/4	2.5
95	4-Nov-19		1A	M	78.5	2	6 1/2	7	0.5
96	6-Nov-19		10A	M	99	5	7 1/2	8	1.5
97	7-Nov-19		29B	M	113.5	5	7	10	1.5
98	8-Nov-19	24B		F	86.5				2.5
99	8-Nov-19		3B	M	129.5	8	8	14	2.5
100	9-Nov-19	BA5		M	147	7	12 1/2	15 1/2	2.5
101	9-Nov-19		30B	F	96				3.5
102	9-Nov-19	WLR3		M	115	8	12 1/2	13 1/2	3.5
103	10-Nov-19	5B		M	140	8	13	14	
104	10-Nov-19		15C	M	133	8	15	15 1/2	2.5
105	10-Nov-19	4A		F	106				1.5
106	10-Nov-19		2D	M	96	2	10 1/2	11 1/4	1.5
107	10-Nov-19	3E		F	108				6.5
108	10-Nov-19	28D		F	82				2.5
109	11-Nov-19		2A	M	151	8	16	17 1/2	
110	11-Nov-19	8A		M	130	8	12 1/2	13 1/2	2.5
111	11-Nov-19	28A		M	134	11	15	16 1/2	3.5
112	11-Nov-19		3A	M	77				0.5
113	17-Nov-19	10B		M	133	8	15 3/4	17	2.5
114	17-Nov-19		10A	M	141	5	14 1/8	15	1.5
115	17-Nov-19		19A	M	58				0.5
116	18-Nov-19	8A		M	140	8	13	15	2.5
117	18-Nov-19	5A		F	87				1.5
118	18-Nov-19	5A		M	60				0.5
119	19-Nov-19	BA6		M	161	10	15 1/2	17	4.5
120	19-Nov-19	23B		M	99	6	14	15	2.5
121	20-Nov-19		10A	M	117	7	14	15 1/2	
122	23-Nov-19	BA6		M	92	3	13	14 1/4	1.5
123	23-Nov-19		33D	M	149.5	8	9 1/4	10 1/2	5.5
124	24-Nov-19	22B		M	106.5	8			3.5
125	24-Nov-19		26I	F	55				0.5
126	26-Nov-19	25D		F	106				4.5
127	26-Nov-19	BA10		M	106	8	14 1/2	15 1/2	2.5
128	3-Dec-19	26C		F					
129	3-Dec-19	25B		F					
130	4-Dec-19		1B	M	119	6	14	16	
131	7-Dec-19		3D	M	120	5	7	7 3/4	
132	8-Dec-19	BA05		F					
133	9-Dec-19	23A		F					
134	9-Dec-19	18A		M	92	8	9 3/4	11	
135	11-Dec-19	1A		M	105	5	5 1/2	6 1/2	
136	12-Dec-19		2C	M	106	2	7 1/2	8	
137	14-Dec-19	23C		F	91				
138	14-Dec-19	BA6		M	174	8	12 3/4	14	
139	14-Dec-19		15C	F	130				

140	15-Dec-19		9D	F	97			
141	15-Dec-19		25I	F	82			
142	19-Dec-19		17C	F	91			
143	21-Dec-19		26C	F	90			
144	24-Dec-19	31F		F	90			
145	26-Dec-19	1B		M	123	8	13	13 1/2
146	26-Dec-19	BA12		F	109			
147	28-Dec-19		26C	M	145	11	13 3/4	15 1/4
148	28-Dec-19		9E	F	96			
149	30-Dec-19	31C		F	73.5			
150	31-Dec-19	BA2		M	89	2		
151	1-Jan-20	25D		M	134	8	13 1/2	15

dressed weight  
dressed weight

dressed weight

dressed weight